

Rifle Range & Misc.

Description of Work Required to be Done	Owner	Material/Equipment Required
Pick up any garbage around main gate		
Paint main gate yellow. Not S/S box		
If not rotten, move the burn barrel in upper parking lot, if it is, put in the dumpster		Bring dumpster to range
Check and replace red/green safety flags	Dave Greene	Spares in Shotgun Seacan
Cover the middle berm between pistol bays with the old hay from the shotgun field.		Seeds, fertilizer, hay pitch forks to spread hay
Rake out any ruts from snowplowing		Rakes and shovels
A few spots on the main seacan are rusting and need to be sanded and painted		Purchase beige paint (again)
Replace any lost or damaged buckets for spent shell casings, drill holes around rim to hang them and holes in the bottom for drainage		Pick up some ice cream buckets (12) if not enough in seacan, drill holes for drainage and hanging
Replace cross members and target rubbers on 100 yard line		Order 10 each 2"x4"x12Ft and strapping
On the 100 yard backstop, fill in spots where the bullet impacts have undermined the berm		Rakes and shovels
Fill potholes on 100 yard roadway		Ordered 3 loads of 1/4" minus
Remove 2 railroad ties from 100 yard target area. Members are dragging them out and placing targets on them and shots are not being captured by the back stop		
Pile tires on 100 yard line out of sight		
The gong needs to be replaced or removed.		Do we have a spare one in inventory? If not we should purchase one. Bill to check with Blake
Rake large rocks off grass by the main seacan		

	Install eaves trough on 25/50 yard firing point		53' of gutter + down spout. Bill to contact Bob Boudreau
	On the 25/50 yard backstop, fill in spots where the bullet impacts have undermined the berm. Dig out the target holder bases that are buried.		Rakes and shovels
	Cut used conveyor belting (from Gulf Operators) into 24" x 24" pieces and install on target frames		
	Remove 3/4" belting from target frames that were installed in error. The thicker belting is for the 100 yard target holders		
	Move pistol target frame holders to pistol bay seacan		
	Tidy up and sweep main seacan		
	Check we have gas and oil for mower and whipper snipper. Top off propane tanks	Dave Greene	
	Empty debris in burn barrels (25/50 and 100 Yard) into garbage bages and put in dumpster.		Garbage bags
	Paint the feet of picnic tables, safety tables and shooting benches on 25/50 and 100 Yard lines with wood preserver		Green Wood Cut in main seacan
	Level Safety Area Table		
	Paint grey barrier fences that are rusty		Tremclad Grey x 1 Gallon
	Repair out house door	Laval Roy	Pop rivet door hinges

Pistol Bays

Description of Work Required to be Done	Owner	Material to be purchased
The metal shroud around the lock on Pistol Bay seacan needs to be painted		Paint and brushes in Main seacan
Install door hold back kit on existing seacan		Kit is in seacan
Check new Seacan to see if still level		
Build steps up to new seacan		Determine material required
New Seacan deck to be built. What size to determine lumber.		
New Seacan roof trusses to be installed and roofed? What roofing mater to be used?		
Check and replace red/green safety flags		Spares are in Pistol Seacan
Old Seacan is infested with mice. Fix holes		Mouse bait is in seacan just needs to be put out and caulking done
A container for misfired rounds in the pistol bay needs to be mounted on the outside of a seacan		Jody has sign and ammo box in seacan
Install fire extinguisher on interior seacan wall		
Empty burn barrels and put debris in dumpster. One old barrel needs to be thrown out. Put in dumpster		Construction garbage bags
Level both Safety Area tables		
One light is not working in seacan (not the bulb)	Laval Roy	check wiring
Do we want to cover either of the back berms with jute and seed?		
Clean up spent shotgun wads in both bays as per the Department of the Enviroment		
Pick up garbage along side berm going to pistol bays and remove any large rocks		
Remove all broken and shot up wood & stands		
From the top of the stairs to the laydown area you can see the 25/50 firing line. We need to raise the top of the berm.		Purchase burlap bags and fill with sand

Shotgun Field

Description of Work Required to be Done	Owner	Material to be purchased
Some black touch up paint needs to be done on the #1 thrower platform and pipe		Paint and brushes in seacan. Ladder and/or staging
Complete painting the older shotgun container blue. Touch up rust spots on new seacan		We have 4 gals of blue paint, rollers & trays & handles
The roof in the Brown seacan in the Shotgun field has a hole in it somewhere.	Dave Greene	Trailer roof patch in seacan
Cover over winch needs to be repaired		
Clean and oil all clay throwers		Spray nine, WD-40 and rags
Check 2" velcro mounts for wireless receivers and replace where required		2" adhesive loop velcro and staple gun in seacan
Turn conveyor belt over on Rabbit run	3-4 people	
Remove old bales of hay and replace. Suggest old hay be spread over berm between Pistol Bays	Roy Byers	Purchase new 12 bales from Roy Byers
Install wobble base on Atlas AT-250	Dave Greene	Base is in blue seacan
Build 2 pipe stands for spares	Doug Forgrave	Pipe and material in seacan-Need glue
Rake and/or blow plastic hulls in shotgun field as per Department of Enviroment		Blower, rakes and garbage bags
Paint the feet of picnic tables and 200 yard shooting benches with wood preserver		Green Wood Cut in main seacan
Paint secondary gate yellow, replace any rotten boards		
Paint grey barrier fences that are rusty		Tremclad Grey x 1 Gallon
Left hand top rail of secondary gate needs to be replaced and painted		Order 2"x4"x 16ft
Stain Shotgun racks		Thompson's Water Seal Cedar